

Preview Copy

The Owner's Guide to Piano Repair



Focus On: Keytop Replacement

Information provided courtesy of:

**Your Contact
Information Goes Here**


A piano with a beautiful and durable set of keytops is more likely to be appreciated than one with a beat-up set of keys. The luxurious feel of top-quality keytops invites one to sit down and play the piano. On the other hand, when old keytops have become discolored, chipped or broken off altogether, playing the piano becomes more of a pain than a joy.

The keytops on your piano have deteriorated to the point where replacement is in order. I would suggest that a professional installation of a new set of keytops be considered.



PREVIEW COPY ONLY

This copyrighted material is presented for inspection purposes only, and is not intended for copying or publication.



The following commonly asked questions have been answered to give you the information you need in order to decide whether or not to have me complete this repair on your piano:

Don't plastic replacement keytops look cheap?

A badly installed set of plastic keytops certainly can detract from a piano's appearance. In such a case the fault, however, is not in the keytops themselves, but in the lack of proper techniques used to install them. In particular, jobs done by do-it-yourselfers or fly-by-night repairmen tend to turn out badly. Poor or inadequate finishing techniques can result in ill-fitting keytops that slop over on the edges and are unevenly notched around the sharps. Even worse is when replacement keytops sit on top of the poorly prepared surface of the wooden keystick in such a way that they are not level and are prone to popping off.

Done correctly, however, replacement keytops will mimic the appearance and durability of a factory installation.

For this job to be done, would you be replacing the keys entirely?

No, only the keytop material would be replaced. The wooden portion of the key, called the keystick, would be retained. New keytop material which is now available for installation is extremely high-quality, beautiful in appearance and with a silky touch that closely approximates the feel of real ivory.

Will replacing old ivory keytops with a product other than genuine ivory lower the value of my piano?

Although a set of ivory keytops that is in excellent condition may enhance the value of a piano, ivory that is in poor condition does nothing for the piano, value-wise or in any other sense. A beautiful set of keytops which have been professionally installed, on the other hand, will make your instrument more attractive and likely to be enjoyed

Are plastic keytops as durable as genuine ivory?

Much more so, actually. The acrylic plastic used nowadays is very resistant to damage and wear. It is completely flat with no grain, and is absolutely smooth. It is a much better material than the old ivory keytops.

What a

PREVIEW COPY ONLY
This copyrighted material is presented for inspection purposes only, and is not intended for copying or publication.

The first step is complete removal of both the tops and fronts of the old

keys. With pianos that originally had genuine ivory key, any good keytops are generally saved for recycling. Otherwise, the old tops are milled off along with a precise fraction of an inch of wood which is removed from the top of the keystick to compensate for the greater thickness of the new keytop material. This

milling down process gives a completely flat surface on which to glue the new keytops.





The new tops are glued to the keysticks with a special adhesive which produces a rock solid bond between the keytop material and the wooden keystick. This type of glue creates a bond stronger than the wood itself.

Once the keytops are glued in place, the exacting job of fitting the keytops to the keysticks may be done.

How is

T
over-size
keys from
manufacturers.

Thus, the process of filing down the keytops to the correct dimensions is a vital step in producing a set of keytops which looks professionally done.

Although machinery may be used to mill off the bulk of the excess material, the final finishing is done by hand, using

files to produce an edge which is perfectly flush to the wooden keystick. When done correctly, there will be no overhanging edge along the sides of the keys.

PREVIEW COPY ONLY

This copyrighted material is presented for inspection purposes only, and is not intended for copying or publication.

tionally
ss of



Where would the work be done, if the decision was made to replace the keytops of our piano?


This type of job is done in the shop. Fortunately, only the set of keys and possibly the keyframe needs to be removed and transported to the shop for the work to be done - the piano itself remains in your home.

Are there ordinarily other repairs which should be done at the same time as a job of keytop replacement?

At the very minimum, the keys should be leveled once they are replaced in the piano. Paper punchings as thin as .001" may be used under the centers of the keys to ensure that the keytops are absolutely level. The checkers (black keys) should also be leveled.



Regulation involves putting all the adjustments that were made to the action in the factory back to their original settings, giving you the most responsive touch possible for your piano.



Another repair job which might be considered is having the key bushings either treated or replaced. If the keys of your piano have a lot of side-to-side play, or wobble, the bushings are not doing their job. In some cases, a liquid treatment followed by sizing may be effective. In more drastic situations, removal of the old bushings and replacement with new might be called for.

With a new set of keytops installed and other related work attended to, the appearance and touch of the keys will be very close to what the piano was like when it was on the showroom floor as a new instrument.



A professionally installed set of replacement keytops invites one to sit down and play.

"In business to bring your piano to its full potential."

**Your Contact
Information Goes Here**